




MEISHUO Building Materials CO.,Ltd

Office: No.2208, Huaqiao Square, Pukou district, Nanjing,China

Tel: 0086-025-58196288 Fax:0086-025-58196399

Website: www.msbox.com E-mail:sariel@msbox.com

MSQ-QG EXPANSION JOINT SPEC DATA





MEISHUO Building Materials CO.,Ltd

Office: No.2208, Huaqiao Square, Pukou district, Nanjing,China

Tel: 0086-025-58196288 Fax:0086-025-58196399

Website: www.msbox.com E-mail:sariel@msbox.com

MSQ-QG EXPANSION JOINT SPEC DATA

Product Description:

An architectural line of thermal, seismic, waterproof and fire rated expansion joint systems meeting the aesthetic and structural demands of airports, hospitals, shopping malls and other building types.

- Suitable for Joint width 75—500mm
- Featuring a Glide Plate and Centering Bar System
- Designed for interior wall, ceiling and exterior wall
 - Recessed frame is designed for drywall installations or can be surface mounted
- More stronger
- Better durability
- Beautiful surface
- Ideal for different wall finishes
- Anodised Aluminum, sprayed Aluminum, Stainless steel plate and Brass plate can be chosen

BASIC USES:

Application: Wall to Wall Corner

Suitable for Joint width: 50—500mm														
Aluminum Base wall thickness: 1mm, 2mm														
Joint Width (W)	50	75	100	125	150	175	200	250	300	350	400	450	500	
Exposed surface (ES)	100	125	150	175	200	225	250	300	350	400	450	500	550	
Movement Capacity	Total	65	90	115	140	165	190	215	265	315	365	415	465	515
	+	55	55	55	55	55	55	55	55	55	55	55	55	55
	-	10	35	60	85	110	135	160	210	260	310	360	410	460
Wideness of Plate(mm)	100	125	150	175	200	225	250	300	50	400	450	500	550	
Thickness of Plate (mm)	1.5	1.5	15	15	2	2	2	2	2	3	3	3	3	



MEISHUO Building Materials CO.,ltd

Office: No.2208, Huaqiao Square, Pukou district, Nanjing,China

Tel: 0086-025-58196288 Fax:0086-025-58196399

Website: www.msbox.com E-mail:sariel@msbox.com

TECHNICAL DATA:

MATERIALS:

Stainless Steel: AISI 304

Aluminum Base: ASTM 6063T5 Mill finish, anodisation

Aluminum Plate: 1060

WARRANTY:

Meishuo warrants that its products are manufactured free of defects and conform to the technical data listed. Under this warranty, we will replace any material proven defective when applied in accordance with our written instructions for applications recommended by us as suitable for subject products. Meishuo shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use of the product.